CONTENTS OF VOLUME 410

March 1989

DEJOURS Pierre Review Lecture. From comparative physiology of respiration to several problems of environmental adaptations and to evolution. 1

ASHTON N. & BALMENT R.J. Blood pressure and renal function in a novel vasopressin-deficient, genetically hypertensive rat strain. 21

LINDEN R.W.A. & SCOTT B.J.J. Distribution of mesencephalic nucleus and trigeminal ganglion mechanoreceptors in the periodontal ligament of the cat. 35

ENRIGHT J.T. Convergence during human vertical saccades: probable causes and perceptual consequences. 45

BOSMA Martha M. Anion channels with multiple conductance levels in a mouse B lymphocyte cell line. 67

CHEN Guifa & SUZUKI Hikaru Some electrical properties of the endothelium-dependent hyperpolarization recorded from rat arterial smooth muscle cells. 91

KONOPKA Lukasz M., MCKEON Tina W. & PARSONS Rodney L. Galanin-induced hyperpolarization and decreased membrane excitability of neurones in mudpuppy cardiac ganglia. 107

CHAUDHRY M.A., DYBALL R.E.J., HONDA K. & WRIGHT N.C. The role of interconnection between supraoptic nucleus and anterior third ventricular region in osmoregulation in the rat. 123

BARNES G.R. & LAWSON J.F. Head-free pursuit in the human of a visual target moving in a pseudo-random manner. 137

ELZINGA G., HOWARTH J.V., RALL J.A., WILSON M.G.A. & WOLEDGE R.C. Variation in the normalized tetanic force of single frog muscle fibres. 157

ELZINGA G., STIENEN G.J.M. & WILSON M.G.A. Isometric force production before and after chemical skinning in isolated muscle fibres of the frog *Rana temporaria*. 171

HIRAOKA Masayasu & KAWANO Seiko Calcium-sensitive and insensitive transient outward current in rabbit ventricular myocytes. 187

BARMACK N.H., ERRICO P., FERRARESI A. & PETTOROSSI V.E. Interactions of cervico-ocular and vestibulo-ocular fast-phase signals in the control of eye position in rabbits. 213

EHARA Tsuguhisa, MATSUOKA Satoshi & NOMA Akinori Measurement of reversal potential of Na^+–Ca^{2+} exchange current in single guinea-pig ventricular cells. 227

CASTELLETTI L., MEMO M., MISSALE C., SPANO P.F. & VALERIO A. Potassium channels involved in the transduction mechanism of dopamine D_2 receptors in rat lactotrophs. 251

DUN N.J. & MO N. Inhibitory postsynaptic potentials in neonatal rat sympathetic preganglionic neurones *in vitro*. 267

DRYER Stuart E., FUJII Joanne T. & MARTIN A.R. A Na^+-activated K^+ current in cultured brain stem neurones from chicks. 283

ALLEN D.G., LEE J.A. & SMITH G.L. The consequences of simulated ischaemia on intracellular Ca^{2+} and tension in isolated ferret ventricular muscle. 297

MANN G.E., PEARSON J.D., SHERIFF C.-J. & TOOTHILL V.J. Expression of amino acid transport systems in cultured human umbilical vein endothelial cells. 325

ALLEN Michael J., ANG Vincent T.Y. & BENNETT David A comparison of head-down tilt with low-dose infusion of atrial natriuretic peptide in man. 341

STEPHENSON D. George, STEWART Angus W. & WILSON Gregory J. Dissociation of force from myofibrillar MgATPase and stiffness at short sarcomere lengths in rat and toad skeletal muscle. 351

BIBBY David C. & GRIMBLE Robert F. Temperature and metabolic changes in rats after various doses of tumour necrosis factor α. 367

MARSHALL Janice M. & METCALFE J.D. Influences on the cardiovascular response to graded levels of systemic hypoxia of the accompanying hypocapnia in the rat. 381

PONTE J. & SADLER C.L. Interactions between hypoxia, acetylcholine and dopamine in the carotid body of rabbit and cat. 395

PONTE J. & SADLER C.L. Studies on the regenerated carotid sinus nerve of the rabbit. 411

BINDER H.J., MCGLONE F. & SANDLE G.I. Effects of corticosteroid hormones on the electrophysiology of rat distal colon: implications for Na^+ and K^+ transport. 425

COBBETT P., LEGENDRE P. & MASON W.T. Characterization of three types of potassium current in cultured neurones of rat supraoptic nucleus area. 443

NICHOLS T. Richard The organization of heterogenic reflexes among muscles crossing the ankle joint in the decerebrate cat. 463

MACDONALD Robert L., ROGERS Carl J. & TWYMAN Roy E. Kinetic properties of the $GABA_A$ receptor main conductance state of mouse spinal cord neurones in culture. 479

BRENNER H.R. & RUDIN W. On the effect of muscle activity on the end-plate membrane in denervated mouse muscle. 501

ELDRIDGE Frederic L. & PAYDARFAR David Desynchronized respiratory rhythms and their interactions in cats with split brain stems. 513

GERBER U., GREENE R.W. & MCCARLEY R.W. Repetitive firing properties of medial pontine reticular formation neurones of the rat recorded *in vitro*. 533

BLATZ A.L. & MAGLEBY K.L. Adjacent interval analysis distinguishes among gating mechanisms for the fast chloride channel from rat skeletal muscle. 561

OXFORD Gerry S. & WAGONER P. Kay The inactivating K^+ current in GH_3 pituitary cells and its modification by chemical reagents. 587

KANEKO A., PINTO L.H. & TACHIBANA M. Transient calcium current of retinal bipolar cells of the mouse. 613

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

4–5 *November* 1989

Leicester Meeting

DEMONSTRATIONS

Gee H. & Taylor E.W. The influence of the 'passive' cervix on intra-uterine pressure in human parturition. 2*P*

Matthews H.R. A motorized multi-way perfusion valve. 3*P*

Drake M. Eliane & Petersen S.A. A relatively inexpensive technique for quantitative studies of ATP overflow. 4*P*

Forsythe I.D., Jones D.W. & Smith A.M. An open perfusion micro-incubator for electrophysiological recording *in vitro*. 5*P*

Davies N.W., Standen N.B. & Stanfield P.R. Some programs for the manipulation and analysis of data recorded from single ionic channels. 6*P*

Bradshaw M.S., Shelton P.M.J. & Stephen R.O. A computerized class experiment to study the responses of the chordotonal organ of the locust leg. 7*P*

Greene J.R.T. A portable heart-preserver. 8*P*

Scott J.J.A. & Stephen R.O. An investigation of the frequency response of voluntary arm movements following contralateral inputs in man. 9*P*

Blakeley A.G.H., Petersen S.A. & Stephen R.O. Ultrasonic phonocardiography: a new technique for the study of the performance of prosthetic heart valve in man. 10*P*

Alibhai A., Forsythe I.D. & Stanfield P.R. *In vitro* culture of neurones dissociated from brain-stem nuclei of the newborn rat. 10*P*

Davies N.W., King W., Standen N.B. & Stanfield P.R. The use of sarcolemmal vesicles in single-channel recording from frog skeletal muscle. 10*P*

COMMUNICATIONS

Nelson M.T., Standen N.B., Worley J.F. & Yu Huang Effects of external and internal cadmium on single calcium channels in isolated smooth muscle cells from rabbit mesenteric artery. 11*P*

Chapman R.A. & Rodrigo Glenn C. Properties of the sustained inward current that develops in voltage-clamped, isolated guinea-pig ventricular myocytes on Ca-depletion. 12*P*

Lees G., Pearson H.A. & W.-Wray D. Calcium channels in isolated locust thoracic ganglia. 13*P*

Horne A.L. & Kemp J.A. Action of ω-conotoxin GVIA on rat hippocampal synaptic transmission *in vitro*. 14*P*

Dolphin A.C. & Scott R.H. Effects of GTP-binding protein activation on L-type calcium channel currents in cultured rat sensory and sympathetic neurones. 15*P*

Dolphin A.C., Scott R.H. & Wootton J.F. Photo-release of GTP-γ-S inhibits the low threshold calcium channel current in cultured rat dorsal root ganglion (DRG) neurones. 16*P*

Burton F.L. & Hutter O.F. The different actions of low intracellular pH and of formaldehyde on inwardly rectifying potassium channels from rat sarcolemmal vesicles. 17*P*

Eisenberg R.S., Hainsworth Atticus H. & Levis RA. The effect of temperature on open-channel noise in the potassium channel of lobster sarcoplasmic reticulum. 18*P*

Bullett M.J., Dunne M.J., Li G., Petersen O.H. & Wollheim C.B. Galanin activates ATP-sensitive K^+ channels via a pertussis toxin-sensitive G-protein in rat insulinoma cells. 19*P*

O'Donnell Jean & Peers C. Potassium currents in isolated type I cells from neonatal rat carotid bodies and their responses to chemoexcitatory agents. 20*P*

Changya L., Gallacher D.V., Irvine R.F. & Petersen O.H. Effects of inositol polyphosphates on the Ca^{2+}-activated K^+ current in single perfused mouse lacrimal acinar cells. 21*P*

Jacob T.J.C. An inward current, evoked by hyperpolarization, results from the activity of non-selective cation channels in cultured bovine ciliary epithelial cells. 22*P*

Harvey B.J. Hydrogen ion currents in isolated frog skin epithelium. 23*P*

McNaughton P.A. & Perry R.J. The ionic selectivity of the light-sensitive channel is different in rods and cones isolated from the tiger salamander. 24*P*

Ballanyi K. & Schlue W.-R. Evidence for a passive chloride distribution in neuropile glial cells of isolated segmental ganglia of the leech, *Hirudo medicinalis*. 25*P*

Kemp J.A., Priestley T. & Woodruff G.N. Selective antagonism of *N*-methyl-D-aspartate responses in rat cultured cortical neurones by the spider toxin, argiopine(636). 26*P*

Attwell David, Barbour Boris & Brew Helen Interaction of internal sodium and glutamate with electrogenic glutamate uptake in glial (Müller) cells isolated from the tiger salamander retina. 27*P*

Colquhoun D., Cull-Candy S.G. & Mathie A. The inward rectification of whole-cell current responses elicited by nicotinic agonists in dissociated rat sympathetic ganglion cells. 28*P*

Ribchester R.R. Regenerative hyperpolarization of chronically denervated isolated mouse skeletal muscle fibres is due to inactivation of inward rectification. 29*P*

Deitmer J.W. & Schirrmacher K. Tetrodotoxin-resistant sodium current in cultured embryonic ganglion cells of the leech. 30*P*

Marsh S.J. & Owen D.G. Fluctuation analysis of M-current in cultured rat sympathetic neurones. 31*P*

Walther C. & Zittlau K.E. Do YGGFMRFamide and proctolin act on the same potassium conductance in locust skeletal muscle? 32*P*

Brownlee A.A., Johnson P. & Mills Ivor H. Studies on two bufodienolides (bufalin and cinobufotalin) respectively were more powerful and less powerful inhibitory effects than ouabain on the sodium pump on human red cells. 33*P*

Ashley C.C., Goldstein L., McConnell F.M. & Simpson A.W.M. Measurement of intracellular free calcium ($[Ca^{2+}]_i$) in Skate (*Raja erinacea*) red cells during osmotic challenge. 34*P*

Law R.O. K^+ efflux moderates the amino acid-dependent volume response of cells in hyperosmotically incubated slices of rat renal papilla. 35*P*

Boyd C.A.R. & Kemp P.J. Ouabain and diuretic-insensitive chloride-dependent potassium influx in guinea-pig lung Type II cells *in vitro*. 36*P*

Shennan D.B. Potassium (tracer ^{86}Rb) efflux from lactating rat mammary tissue slices. 37*P*

Boyd C.A.R., Marin J.J.G. & Serrano M.A. Taurocholate transport by the chorionic trophoblast basal membrane isolated from human term placenta. 38*P*

Atkinson D.E., Robinson N.R. & Sibley C.P. Measurement of placental permeability during the last third of gestation in the anaesthetized rat. 39*P*

Brown C.D.A., Dunk C.R., Ikeda Y. & Turnberg L.A. Activation of a Cl^- conductance by external protons in rat duodenal brush-border membrane vesicles. 40*P*

Bleakman D. & Naftalin R.J. Measurement of fluid absorbate tonicity in rabbit disal colon *in vitro*. 41*P*

Asking B. & Gjörstrup P. Changes in acinar cell granule content are related to the degree of amylase secretion on sympathetic but not on parasympathetic nerve stimulation in the rat parotid gland. 42*P*

Edwards A.V., Garrett J.R. & Proctor G.B. Effect of parasympathectomy on the protein composition of sympathetically evoked submandibular saliva from cats. 43*P*

Brown P.D., Donohue M., Elliott A.C. & Lau K.R. Na^+–HCO_3^- co-transport is not involved in the acetylcholine-induced acidosis in acini isolated from rabbit mandibular salivary gland. 44*P*

Francis L.P. & Singh J. Effects of acetylcholine, phorbol ester and diacylglycerol kinase inhibitor on [^{3}H]leucine-labelled protein secretion from isolated permeabilized rat pancreatic acini. 45*P*

Argent B.E., Fahey Antoinette, Gillespie J.I. & Greenwell J.R. Measurement of intracellular chloride fluctuations in isolated rat pancreatic acinar cells using the chloride-sensitive fluorescent dye 6-methoxy-*N*-[3-sulfopropyl] quinolinium (SPQ). 46*P*

Hetherington S.J.C. & Petersen S.A. Inhibition of mechanical responses of the isolated mouse vas deferens by adenosine analogues – the effects of temperature. 47*P*

Daut J., Dischner A. & Mehrke G. Bradykinin induces a transient hyperpolarization of cultured guinea-pig coronary endothelial cells. 48*P*

Hallam Trevor J., Jacob Ron & Merritt Janet E. Nickel blocks store refilling and stimulated divalent cation entry in single cultured human umbilical vein endothelial cells. 49*P*

Edwards A.D., Reynolds E.O.R., Richardson C.E. & Wyatt J.S. Estimation of blood flow in man using near infra-red spectroscopy (NIRS). 50*P*

Bennett T., Compton A.M. & Gardiner S.M. Regional haemodynamic effects of acetylcholine (ACh) or sodium nitroprusside (SNP) in conscious Wistar rats. 51*P*

Barer Gwenda & Cai Yingnian The site of almitrine and hypoxic pulmonary vasoconstriction moves distally in chronically hypoxic rats, associated with new growth of muscle in arterioles. 52*P*

Mason R. & Rusak B. Altered responsiveness of suprachiasmatic (SCN) neurones *in vitro* to melatonin of Syrian Hamsters after long-term exposure to short days. 53*P*

Hondo R.G., Julu P.O.O. & Kunzekweguta W.S. Essential fatty-acid supplementation can correct the slowed nerve conduction velocity (CV) in streptozotocin- (STZ) diabetic rats. 54*P*

Boroumand-Naini M. & Petersen S.A. Dietary-induced obesity in rats–effects of high fat diets differing in calorific density. 55*P*

Ikeda H., Kay C. & Robbins J. Excitatory amino acid receptors on 'sustained' retinal ganglion cells in the anaesthetized cat. 56*P*

Clements J.D. & Forsythe I.D. Presynaptic glutamate receptors depress excitatory synaptic transmission between mouse hippocampal neurones in culture. 57*P*

Haydon P.G., Lukowiak K. & Man-Son-Hing H.J. FMRF-amidergic modulation of the calcium current responsible for evoking neurotransmitter release in an identified neurone isolated from *Helisoma*. 58*P*

Cunningham J., Neal M.J., Shah M.A. & Yazulla S. Effects of γ-vinyl-GABA on the distribution and release of GABA in the isolated rat retina. 59*P*

Jones H.E. & Sillito A.M. A distinct subpopulation of non-length-tuned cells in the dorsal lateral geniculate nucleus (dLGN) of the anaesthetized cat. 60*P*

Scott J.J.A. Comparison of some methods for classifying muscle-spindle afferents in the peroneus brevis muscle of anaesthetized cats. 61*P*

Keen P., Nielsch U. & Watts P.A. An investigation into the mechanism of induction of vasoactive intestinal peptide gene expression in rat sensory neurones following nerve injury. 62*P*

Matthies H. & Reymann K.G. 2-Amino-4-phosphonobutyrate (APB) selectively eliminates late phases of long-term potentiation (LTP) in rat hippocampal CA1 cells *in vitro*. 63*P*

Earm Y.E., Ho W.K. & So I.S. An inward current activated during late low-level plateau phase of the action potential in rabbit atrial cells. 64*P*

Brown H.F. & Denyer J.C. Low-dose acetylcholine reduces calcium current in isolated sino-atrial node cells of rabbit. 65*P*

Boyett M.R., Kirby M.S. & Orchard C.H. Paired pulse potentiation in isolated ferret ventricular muscle. 66*P*

Kentish Jonathan C. & Palmer Sue Effect of pH on force and stiffness in skinned muscles isolated from rat and guinea-pig ventricle and from rabbit psoas muscle. 67*P*

England P.J., Hussain M. & Singh J. Positive inotropic and chronotropic actions of a serum constituent on the isolated guinea-pig atria. 68*P*

Eisner D.A., O'Neill S.C. & Valdeolmillos M. Photolysis of 'caged' Ca can produce contraction in isolated rat cardiac myocytes. 69*P*

Chapman R.A. & Rodrigo Glenn C. An estimate of the Ca influx associated with the calcium repletion phase of the calcium paradox of isolated guinea-pig ventricular myocytes. 70*P*

Babu A. & Gulati J. Effects of cardiac-muscle troponin-C on the length-dependence of Ca^{2+}-sensitivity and on the hysteresis in rabbit psoas fast-twitch muscle skin fibres. 71*P*

Fry C.H. & McGuigan J.A.S. The influence of pH on Ca^{2+} exchange in mitochondria isolated from ferret heart. 72*P*

Vaughan-Jones R.D. & Wu Mei-Lin Metabolic inhibitors slow Na–H exchange in the isolated sheep cardiac Purkinje fibre. 73*P*

Greene J.R.T. Effects of a new long-term cardioplegic infusion in previously beating and ischaemically arrested hearts isolated from the rabbit. 74*P*

Jones D.A. & Sacco P. Failure of activation as the cause of fatigue in isolated mouse skeletal muscle. 75*P*

Allen D.G., Lee J.A. & Westerblad H. Intracellular calcium and tension during recovery from fatiguing stimulation in isolated single fibres from *Xenopus* toe muscles. 76*P*

Bray K.M., Longmore J. & Weston A.H. Analysis of caffeine-induced responses in rabbit isolated aorta. 77*P*

Chappell J.B., Collingridge G.L., Randall A.D., Schofield J.G. & Shorte S.L. Nicotine elevates cytosolic Ca^{2+} in a subpopulation of TRH-sensitive cultured bovine anterior pituitary cells. 78*P*

Nelson M.T., Standen N.B. & Worley III J.F. The action of noradenaline on calcium channels and contractions of isolated arterial smooth muscle cells from rabbit mesenteric artery. 79*P*

Kusel M., Lucas M.L., McEwan G.T.A. & McKie A.T. The effect of *E. coli* (STa) enterotoxin on surface pH and cyclic nucleotide levels in anaesthetized rat proximal jejunum *in vivo*. 79*P*

POSTER COMMUNICATIONS

Wakui M. The effects of acetylcholine, inositol trisphosphate and Ca^{2+} on Cl^- currents in single mouse pancreatic acinar cells. 80*P*

Bannatyne Anne & Blackshaw Susanna Single-channel recordings from cell bodies of leech neurones in desheathed ganglia. 81*P*

Adams D.J. & Thomas M.V. Effects of sodium azide and cytosolic pH on evoked transmitter release at the isolated squid giant synapse. 82*P*

Martin R.J. & Pennington A.J. Ivermectin induces cation channels in isolated patches of *Ascaris* muscle. 83*P*

Burton F.L. & Hutter O.F. Sensitivity to flow of intrinsic gating in inwardly rectifying potassium channel from rat sarcolemmal vesicles. 84*P*

Quayle J.M. & Stanfield P.R. Block of the ATP-sensitive potassium channel of frog skeletal muscle by internal sodium ions. 85*P*

House C.R., McNiven A.I., Plant S. & Yoshida S. Single-channel studies on the K^+ current activated by voltage, Ca^{2+}, and ADP in hamster oocytes. 86*P*

Davies N.W. & Lux H.D. The effect of noradrenaline on Ca^{2+} channels of cultured chick dorsal root ganglion neurones requires external divalent cations. 87*P*

Manning S.D. & Williams A.J. Ion discrimination in a predominantly anion-selective channel from human platelet surface membrane. 88*P*

Chad J., Foreman R. & Wheeler S. Expression of ionic channels in *Xenopus* oocytes after injection of fetal human mRNA. 89*P*

Gray P.T.A., Ogden D.C., Trentham D.R. & Walker J.W. Elevation of cytosolic free calcium ($[Ca^{2+}]_i$) by rapid photolysis of 'caged' inositol trisphosphate in single rat parotid acinar cells. 90*P*

Brown P.D., Elliott A.C., Hanfi A. & Lau K.R. Evidence for non-specific anion channels in acini isolated from rabbit mandibular salivary gland. 91*P*